

Contents

| | |
|---|----|
| 1 Introduction | 1 |
| 1.1 From the Ginzburg–Landau model to the 2D Coulomb gas | 1 |
| 1.1.1 Superconductivity and the Ginzburg–Landau model | 1 |
| 1.1.2 Reduction to a Coulomb interaction | 3 |
| 1.2 The classical Coulomb gas | 5 |
| 1.2.1 The general setting | 5 |
| 1.2.2 Two-dimensional Coulomb gas | 6 |
| 1.2.3 The one-dimensional Coulomb gas and the log gas | 8 |
| 2 The leading order behavior of the Coulomb gas | 11 |
| 2.1 Γ -convergence: general definition | 12 |
| 2.2 Γ -convergence of the Coulomb gas Hamiltonian | 14 |
| 2.3 Minimizing the mean-field energy via potential theory | 15 |
| 2.4 The mean field limit | 23 |
| 2.5 Linking the equilibrium measure with the obstacle problem | 29 |
| 2.5.1 Short presentation of the obstacle problem | 29 |
| 2.5.2 Connection between the two problems | 32 |
| 2.6 Large deviations for the Coulomb gas with temperature | 35 |
| 3 Splitting the Hamiltonian | 43 |
| 3.1 Expanding the Hamiltonian | 43 |
| 3.2 The truncation procedure and splitting formula | 46 |
| 3.3 The case $d = 1$ | 50 |
| 3.4 Almost monotonicity | 53 |
| 3.5 The splitting lower bound | 54 |
| 3.6 Consequences | 55 |
| 3.7 Control of the potential and charge fluctuations | 56 |
| 4 Definition(s) and properties of renormalized energy | 61 |
| 4.1 Motivation and definitions | 61 |
| 4.2 First properties | 65 |
| 4.3 Almost monotonicity of \mathcal{W}_η and lower bound for \mathcal{W} | 68 |
| 4.4 Well separated and periodic configurations | 70 |
| 4.5 Partial results on the minimization of W and \mathcal{W} , and the crystallization conjecture | 76 |
| 5 Deriving \mathcal{W} as the large n limit: lower bound via a general abstract method | 81 |
| 5.1 Lower bound for 2-scales energies | 81 |
| 5.2 Next order for the Coulomb gas | 87 |

| | | |
|-----------|--|------------|
| 5.2.1 | Assumptions | 87 |
| 5.2.2 | Lower bound | 87 |
| 6 | Deriving \mathcal{W} as the large n limit: screening, upper bound, and consequences | 93 |
| 6.1 | Separation of points and screening | 93 |
| 6.2 | Upper bound and consequences for ground states | 99 |
| 6.3 | Consequences on statistical mechanics | 103 |
| 7 | The Ginzburg–Landau functional: presentation and heuristics | 107 |
| 7.1 | The functional | 107 |
| 7.2 | Types of states, critical fields | 108 |
| 7.2.1 | Types of solutions and phase transitions | 108 |
| 7.2.2 | Vortex solutions | 109 |
| 7.2.3 | Related models | 110 |
| 7.3 | Heuristics | 111 |
| 7.3.1 | Rough heuristics | 111 |
| 7.3.2 | The vorticity measure and the London equation | 112 |
| 7.3.3 | Formal derivation of the first critical field | 113 |
| 8 | Main mathematical tools for Ginzburg–Landau | 117 |
| 8.1 | The ball construction method | 117 |
| 8.1.1 | A sketch of the method | 118 |
| 8.1.2 | A final statement | 122 |
| 8.2 | The “Jacobian estimate” | 124 |
| 9 | The leading order behavior for Ginzburg–Landau | 127 |
| 9.1 | The Γ -convergence result | 127 |
| 9.2 | The proof of Γ -convergence | 128 |
| 9.2.1 | Lower bound | 128 |
| 9.2.2 | Upper bound | 130 |
| 9.3 | Mean-field limit and obstacle problem | 133 |
| 9.4 | The intermediate regime near H_{c_1} | 135 |
| 10 | The splitting and the next order behavior for Ginzburg–Landau | 137 |
| 10.1 | Splitting | 137 |
| 10.2 | Deriving W from Ginzburg–Landau | 141 |
| 10.2.1 | Rescaling and notation | 141 |
| 10.2.2 | Lower bound | 142 |
| 10.2.3 | Upper bound | 145 |
| 10.2.4 | A statement of main result | 146 |
| | Bibliography | 147 |
| | Index | 157 |